



STAPPERT

STAPPERT | NOXON



## QUALITY EX STOCK

Summary of  
available products



- Bars
- Pipes and tubes
- Flanges
- Fittings
- Hollow bars
- Angles
- Special sections
- Plates and sheets

ISSUE 3

## STAPPERT – The brand for stainless steels.


STAPPERT offers a diverse range in stainless, highly-corrosion and heat-resistant steels in various grades and forms throughout Europe. Products include bars, angles, plates and sheets, special sections and hollow bars, pipes, tubes, flanges and fittings. From standard products to custom-made products. The stock range programme in this brochure indicates all of the products that are available directly from our stock.

The STAPPERT name stands for reliable supply, varied product range, availability, quality and comprehensive service. This ranges from specialist advice to quality testing, from cutting to surface refinement. Always in accordance with our customers' wishes.

The STAPPERT brand is represented in twelve European countries. The corporate structure demonstrates the uniformity of the twelve companies within the STAPPERT brand regarding the distribution of stainless products. All companies trade under the name STAPPERT plus a country-specific supplement. STAPPERT itself is part of the Jacquet Metal Service group.

Benefit from our strength and speak to our experts in stainless steel.

All addresses and contacts are available on the back page.



Status: Januar 2017.  
This information is supplied without liability.



### Construction tubes | decoration tubes


	Grade	AISI/ UNS*)	○ welded	○ welded polished	○ welded heat-treated polished	□ □ welded	□ □ welded polished
stainless	1.4301	304	10 × 1,5 - 168,3 × 2	10 × 1,5 - 114,3 × 4	26,9 × 2,6 - 48,3 × 2,6	10 × 10 × 1 - 250 × 150 × 5	15 × 15 × 1,5 - 120 × 60 × 3
	1.4404	316 L		25 × 2 - 48,3 × 2		15 × 15 × 1,5 - 200 × 200 × 5	
	1.4571	316 Ti		33,7 × 2 - 48,3 × 2	33,7 × 2 - 42,4 × 2,6	15 × 15 × 1,5 - 200 × 100 × 6	

### Corrosion pipes and tubes

	Grade	AISI/ UNS*)	○ seamless	○ seamless hydraulic tubes	○ welded dairy pipes	○ welded	○ welded heat-treated
stainless	1.4301	304	4 × 1 - 323,9 × 12,7	6 × 1 - 42 × 3	18 × 1,5 - 204 × 2	5 × 0,75 - 812,8 × 4	6 × 1 - 219,1 × 8,18
	1.4306	304 L	12 × 1 - 323,9 × 12,7				
	1.4307	304 L	3,18 × 0,56 - 406,4 × 9,53	6 × 1 - 42 × 3	12 × 1 - 204 × 2	5 × 0,75 - 508 × 4	6 × 1 - 219,1 × 8,18
	1.4401	316	6 × 1 - 323,9 × 12,7				
	1.4404	316 L	6 × 1 - 406,4 × 9,53		12 × 1 - 154 × 2	6 × 1 - 812,8 × 4	17,2 × 1,6 - 323,9 × 4,57
	1.4541	321	6 × 1 - 219,1 × 12,7	6 × 1 - 57 × 2,9		21,3 × 2 - 406,4 × 4	6 × 1 - 114,3 × 5
	1.4571	316 Ti	4 × 0,5 - 323,9 × 12,7	6 × 1 - 88,9 × 4,5		10 × 1 - 609,6 × 4	6 × 1 - 114,3 × 6,3
highly corrosion- resistant	1.4539	904 L	10,3 × 2 - 219,1 × 12,7			76,1 × 3 - 355,6 × 4	
heat- resistant	1.4841	314	6 × 1 - 168,3 × 4,5				
	1.4845	310 S	13,7 × 2,24 - 219,1 × 12,7				
	1.4878	321 H	6 × 1 - 219,1 × 12,7				
Duplex   Superduplex	1.4462	S 31803	13,7 × 2,24 - 219,1 × 8,18				
	1.4501	S 32760	21,3 × 2,77 - 168,3 × 7,11				

### Hollow bars

	Grade	AISI/ UNS*)	○ seamless
stainless	1.4301	304	32 × 16 - 420 × 300
	1.4306	304 L	32 × 16 - 250 × 200
	1.4307	304 L	32 × 16 - 420 × 300
	1.4401	316	32 × 16 - 420 × 300
	1.4404	316 L	32 × 16 - 420 × 300
	1.4541	321	32 × 20 - 250 × 200
	1.4571	316 Ti	32 × 16 - 250 × 200
heat- resistant	1.4878	321 H	32 × 20 - 250 × 200
Duplex	1.4462	S 31803	50 × 25 - 250 × 200



Bars | hot-formed

	Grade	AISI/ UNS*)	DIN EN 10060	DIN EN 10059	DIN EN 10061	DIN EN 10058	slit from sheet or strip	polished	equal	unequal	T	I	U	
stainless	1.4006	410	30 - 250											
	1.4021	420	16 - 550											
	1.4028	420 F	30 - 200											
	1.4034	420	30 - 325											
	1.4057	431	20 - 500	40 - 100		30 x 20 - 100 x 30								
	1.4104	430 F	40 - 400	80										
	1.4112	440 B	20 - 400											
	1.4122		18 - 525											
	1.4125	440 C	20 - 180											
	1.4301	304	20 - 575	15 - 200	70	10 x 5 - 200 x 40	10 x 3 - 300 x 12	20 x 3 - 120 x 10	15 x 15 x 2 - 180 x 180 x 20	20 x 10 x 3 - 200 x 100 x 12	T 20 - T 120 TB 30 - TB 60	IPE 80 - 240 IPB 100 - 200	U 20 - U 200	
	1.4301 Ugima	304 Ugima	40 - 120											
	1.4305	303	35 - 500	40 - 150										
	1.4306	304 L	35 - 200											
	1.4307	304 L	20 - 575	15 - 200	70	10 x 5 - 200 x 40	10 x 3 - 300 x 12		15 x 15 x 2 - 180 x 180 x 20	20 x 10 x 3 - 200 x 100 x 12	T 20 - T 120 TB 30 - TB 60	IPE 80 - 240 IPB 100 - 200	U 20 - U 200	
	1.4313	CA6-NM	20 - 500											
	1.4401	316	20 - 625	15 - 150		20 x 5 - 200 x 40	20 x 3 - 150 x 10			20 x 20 x 3 - 100 x 100 x 10				
	1.4404	316 L	20 - 625	15 - 150		20 x 5 - 200 x 40	20 x 3 - 150 x 10			20 x 20 x 3 - 100 x 100 x 10				
	1.4404 Ugima	316 L Ugima	35 - 80											
	1.4418		25 - 350											
	1.4435	316 L	30 - 400	30 - 80										
	1.4435 Ugima	316 L Ugima	25 - 125											
	1.4541	321	20 - 525	25 - 150		20 x 5 - 150 x 25	15 x 5 - 100 x 12			20 x 20 x 3 - 100 x 100 x 10				
	1.4542	630	30 - 300											
	1.4550	347	20 - 150											
	1.4571	316 Ti	20 - 625	15 - 200	70 - 90	10 x 5 - 150 x 50	10 x 3 - 250 x 15			20 x 20 x 3 - 150 x 150 x 15	30 x 20 x 3 - 200 x 100 x 13	T 30 - T 120	IPE 80 - 160 IPB 100 - 180	U 40 - U 200
1.4571 Ugima	316 Ti Ugima	45 - 125												
1.4439	317 LMN	20 - 210												
1.4529	N 08926	16 - 200												
1.4539	904 L	6 - 400	15 - 60											
highly corrosion-resistant	1.4713		16 - 100			30 x 5 - 80 x 10								
	1.4742		10 - 80											
	1.4762	446	16 - 120											
	1.4828	309	6 - 250			20 x 8 - 100 x 20								
	1.4841	314	6 - 300	10 - 80		15 x 5 - 100 x 20								
	1.4845	310 S	6 - 200											
	1.4876	B 163	25 - 50											
	1.4878	321 H	20 - 525	25 - 150		20 x 5 - 150 x 25			20 x 20 x 3 - 100 x 100 x 10					
	1.4923		20 - 300											
	heat-resistant   creep-resistant	1.4410	S 32750	16 - 200										
1.4460		S 32900	31 - 370											
1.4462		S 31803	20 - 500	20 - 50		30 x 5 - 100 x 20								
1.4501		S 32760	25 - 500											
Duplex   Superduplex														



Bars | cold-formed

	Grade	AISI/ UNS*)	DIN EN 10278 h9	DIN EN 10278 h8	DIN EN 10278 h6	polished	DIN EN 10278	DIN EN 10278	DIN EN 10278		equal	key steel	key steel
stainless	1.4021	420	4 - 100										
	1.4034	420	5 - 90										
	1.4057	431	5 - 100						11 - 41				
	1.4104	430 F	3 - 100					5 - 60	5 - 60				
	1.4112	440 B	5 - 80										
	1.4122		5 - 100										
	1.4301	304	2 - 100	6 - 60	10 - 50	8 - 20	4 - 100	7 - 65	8 x 4 - 160 x 10		10 x 10 x 2 - 60 x 60 x 6		
	1.4301 Ugima	304 Ugima	8 - 90					27 - 41					
	1.4305	303	2 - 100	10 - 30		8 - 20	5 - 80	5 - 60	20 x 5 - 120 x 20				
	1.4305 Ugima	303 Ugima	6 - 90										
	1.4307	304 L	2 - 100	6 - 60	10 - 50	8 - 20	4 - 100	7 - 65	8 x 4 - 160 x 10		10 x 10 x 2 - 60 x 60 x 6		
	1.4401	316	4 - 100					10 - 60	7 - 60	15 x 3 - 100 x 20			
	1.4404	316 L	4 - 100					10 - 60	7 - 60	15 x 3 - 100 x 20	10 x 3,5 - 50 x 25		
	1.4404 Ugima	316 L Ugima	8 - 60										
	1.4418		12 - 22										
	1.4435	316 L							13 - 41				
	1.4435 Ugima	316 L Ugima	4 - 80										
	1.4541	321	3 - 100						13 - 65				
	1.4542	630	10 - 40										
	1.4571	316 Ti	2 - 100					4 - 100	6 - 70	10 x 3 - 120 x 10		5 x 3 - 45 x 25	3 - 6
	1.4571 Ugima	316 Ti Ugima	8 - 60						22 - 55				
	highly corrosion-resistant	1.4539	904 L						19 - 36				
	heat-resistant creep-resistant	1.4841	314	3 - 5					13 - 41				
		1.4923		10 - 20									
	Duplex	1.4460	S 32900	12 - 90									
	1.4462	S 31803	6 - 70										

Plates and sheets

	Grade	AISI/ UNS*)	various sizes
highly corrosion-resistant	1.4539	904 L	1,5 - 30 thickness
heat-resistant	1.4828	309	1,5 - 30 thickness
	1.4841	314	1,5 - 30 thickness
	1.4845	310 S	2 - 30 thickness
Duplex	1.4462	S 31803	1,5 - 30 thickness





## Flanges

Grade	1.4301/1.4307	1.4404	1.4541
AISI/UNS <sup>*)</sup>	304/304 L	316 L	321
Blind flanges according to DIN			
Blind flanges according to EN	PN 06: DN 15 - DN 600 PN 10: DN 200 - DN 800 PN 16: DN 50 - DN 600 PN 40: DN 10 - DN 150	PN 06: DN 15 - DN 600 PN 10: DN 200 - DN 800 PN 16: DN 50 - DN 600 PN 40: DN 10 - DN 150	PN 10: DN 200 - DN 300 PN 16: DN 50 - DN 200 PN 40: DN 15 - DN 40
Blind flanges with reduced thickness	PN 10: DN 200-15 - DN 300-15 PN 16: DN 100-10 - DN 150-12		
Blind flanges according ASTM	150#: 1/2" - 24" 300#: 1/2" - 16" 600#: 1/2" - 8"	150#: 1/2" - 24" 300#: 1/2" - 16" 600#: 1/2" - 8"	
Lap-joint flanges according to DIN			
Lap-joint flanges according ASTM	150#: 1/2" - 24"	150#: 1/2" - 24"	
Lap-joint flanges with reduced thickness	PN 10: DN 50/60,3-10 - DN 500/508-20		
Slip-on flanges according to EN	PN 06: DN 15/21,3 - DN 600/609,6 PN 10: DN 200/204 - DN 800/812,8 PN 16: DN 50/50,8 - DN 400/406,4 PN 40: DN 10/17,2 - DN 40/48,3	PN 06: DN 15/21,3 - DN 600/609,6 PN 10: DN 200/204 - DN 800/812,8 PN 16: DN 50/50,8 - DN 400/406,4 PN 40: DN 10/17,2 - DN 40/48,3	PN 10: DN 250/273 - DN 500/508 PN 16: DN 80/88,9 - DN 125/139,7
Slip-on flanges with reduced thickness	PN 10: DN 50/60,3-10 - DN 500/508-20		
Lap-joint flanges according to EN	PN 10: DN 200/204 - DN 800/812,8 PN 16: DN 50/50,8 - DN 200/219,1 PN 40: DN 10/17,2 - DN 40/48,3	PN 10: DN 200/204 - DN 800/812,8 PN 16: DN 50/50,8 - DN 200/219,1 PN 40: DN 10/17,2 - DN 40/48,3	PN 10: DN 200/219,1 - DN 500/508 PN 16: DN 50/60,3 - DN 150/168,3 PN 40: DN 15/21,3 - DN 40/48,3
Welding neck flanges according to EN	PN 06: DN 15/21,3 - DN 600/609,6 PN 10: DN 200/204 - DN 800/812,8 PN 16: DN 50/54 - DN 600/609,6 PN 25: DN 200/219,1 - DN 300/323,9 PN 40: DN 10/17,2 - DN 350/355,6	PN 06: DN 15/21,3 - DN 600/609,6 PN 10: DN 200/204 - DN 800/812,8 PN 16: DN 50/54 - DN 600/609,6 PN 25: DN 200/219,1 - DN 300/323,9 PN 40: DN 10/17,2 - DN 350/355,6	PN 10: DN 200/219,1 - DN 400/406,4 PN 16: DN 50/60,3 - DN 200/219,1 PN 40: DN 15/21,3 - DN 40/48,3
Welding neck flanges according ASTM	150#: 1/2" SCH10 - 24" SCH40 300#: 1/2" SCH40 - 16" SCH80 600#: 1/2" SCH80 - 10" SCH80	150#: 1/2" SCH10 - 24" SCH40 300#: 1/2" SCH40 - 16" SCH80 600#: 1/2" SCH80 - 10" SCH80	
Slip-on flanges according ASTM	150#: 1/2" - 24" 300#: 1/2" - 12"	150#: 1/2" - 24" 300#: 1/2" - 12"	
Threaded flanges according to EN	PN 16: DN 50/60,3 - DN 100/114,3 PN 40: DN 10/17,2 - DN 40/48,3	PN 16: DN 50/60,3 - DN 100/114,3 PN 40: DN 10/17,2 - DN 40/48,3	
Threaded flanges according ASTM	150#: 1/2" - 2"	150#: 1/2" - 2"	
Socket-weld flanges according ASTM		150#: 1/2" - 4"	
Collar	17,2 x 2 - 812,8 x 4	17,2 x 2 - 812,8 x 4	17,2 x 1,8 - 508 x 4

## Flanges

Grade	1.4571	1.4539	1.4462	Aluminium Aluminium epoxy coated
AISI/UNS <sup>*)</sup>	316 Ti	904 L	S 31803	
Blind flanges according to DIN				DN 10 - DN 300
Blind flanges according to EN	PN 10: DN 200 - DN 500 PN 16: DN 50 - DN 200 PN 40: DN 15 - DN 40	PN 16: DN 50 - DN 200 PN 40: DN 15 - DN 40	PN 16: DN 50 - DN 200 PN 40: DN 15 - DN 40	
Blind flanges with reduced thickness	PN 10: DN 200-10 - DN 500-10 PN 16: DN 100-10 - DN 150-12			
Blind flanges according ASTM				
Lap-joint flanges according to DIN				Type A: DN 15/20 - DN 300/304 Type C: DN 10/17,2 - DN 600/609,6
Lap-joint flanges according ASTM				
Lap-joint flanges with reduced thickness	PN 10: DN 50/60,3-10 - DN 600/609,6-20			
Slip-on flanges according to EN	PN 10: DN 200/219,1 - DN 600/609,6 PN 16: DN 50/60,3 - DN 300/323,9 PN 40: DN 15/21,3 - DN 40/48,3			
Slip-on flanges with reduced thickness	PN 10: DN 50/60,3-10 - DN 500/508-20 PN 16: DN 65/76,1-10 - DN 600/609,6-20			
Lap-joint flanges according to EN	PN 10: DN 200/219,1 - DN 600/609,6 PN 16: DN 50/60,3 - DN 250/273 PN 40: DN 10/17,2 - DN 40/48,3			
Welding neck flanges according to EN	PN 10: DN 200/219,1 - DN 600/609,6 PN 16: DN 50/60,3 - DN 500/508 PN 40: DN 10/17,2 - DN 200/219,1	PN 16: DN50/60,3 - DN 200/219,1 PN 40: DN 15/21,3 - DN 40/48,3	PN 16: DN50/60,3 - DN 200/219,1 PN 40: DN 15/21,3 - DN 40/48,3	
Welding neck flanges according ASTM				
Slip-on flanges according ASTM				
Threaded flanges according to EN				
Threaded flanges according ASTM				
Socket-weld flanges according ASTM				
Collar	17,2 x 2 - 609,6 x 4	26,9 x 3 - 323,9 x 3		



## Welded fittings

Grade	1.4307	1.4404	1.4541	1.4571	1.4539	1.4462
AISI/ UNS*	304 L	316 L	321	316 Ti	904 L	S 31803
Elbow seamless 90°	21,34 x 2,11 - 323,85 x 12,7	21,34 x 2,11 - 323,85 x 12,7		12 x 1,5 - 168,3 x 4,5	21,34 x 2,11 - 219,1 x 8,18	21,34 x 2,11 - 219,1 x 8,18
Elbow seamless 45°	21,34 x 2,11 - 219,08 x 8,18	21,34 x 2,11 - 219,08 x 8,18				
Elbow seamless 180°	21,34 x 2,11 - 114,3 x 3,05	21,34 x 2,11 - 114,3 x 3,05				
Elbow welded 90°	12,0 x 1,5 - 812,8 x 4,0	12,0 x 1,5 - 711,2 x 4,0				
Elbow welded BA2				219,1 x 3 - 323,9 x 3		
Elbow welded BA3	60,3 x 2 - 508 x 3	21,3 x 2 - 168,3 x 2	17,2 x 1,6 - 406,4 x 3	17,2 x 1,6 - 609,6 x 4	76,1 x 3 - 323,9 x 4	
Elbow welded 45°	168,28 x 3,4 - 406,4 x 9,53	168,28 x 3,4 - 406,4 x 9,53				
Tee seamless	21,34 x 2,11 - 323,85 x 9,53	21,34 x 2,11 - 323,85 x 9,53	21,3 x 2 - 60,3 x 2	17,2 x 2,3 - 114,3 x 3,6	21,34 x 2,11 - 219,1 x 8,18	21,34 x 2,11 - 219,1 x 8,18
Tee welded	21,3 x 2 - 609,9 x 2,9	20 x 2 - 609,6 x 2,9	21,3 x 2 - 219,1 x 3	21,3 x 2 - 323,9 x 3		
Recuding tee seamless	26,67 x 21,34 x 2,11 - 323,85 x 273,05 x 9,53 x 9,27	26,67 x 21,34 x 2,11 - 323,85 x 273,05 x 9,53 x 9,27				
Recuding tee welded		21,3 x 17,2 x 2 - 219,1 x 168,3 x 3	48,3 x 2/21,3 x 1,6 - 60,3 x 2/48,3 x 2	33,7 x 2/26,9 x 1,6 - 114,3 x 2,6/88,9 x 2,3		
Reducers concentric seamless	26,67 x 21,34 x 2,11 - 323,85 x 273,05 x 12,7 x 12,7	26,67 x 21,34 x 2,11 - 323,85 x 273,05 x 12,7 x 12,7		21,3 x 2/17,2 x 1,8 - 168,3 x 4,5/114,3 x 3,6	33,4 x 3,38/21,34 x 2,77 - 219,1 x 8,18/168,26 x 7,11	33,4 x 3,38/21,34 x 2,77 - 219,1 x 8,18/168,26 x 7,11
Reducers concentric welded	17,2 x 13,5 x 2 - 609,6 x 508 x 4	21,3 x 13,7 x 2 - 609,6 x 508 x 3	26,9 x 1,6/17,2 x 1,6 - 168,3 x 2,6/139,7 x 2,6	21,3 x 2/17,2 x 1,8 - 323,9 x 3/273 x 3		
Caps	17,2 x 2 - 812,8 x 4	17,2 x 2 - 609,6 x 4		21,3 x 2 - 508 x 4		
Stub-end	21,34 x 2,11 - 406,4 x 4,78	21,34 x 2,11 - 406,4 x 4,78				



## BSP threaded fittings

Grade	1.4308	1.4408
AISI	304	316
Half socket	1/4" - 2"	1/8" - 4"
Socket	1/4" - 2"	1/8" - 4"
Welding nipple	1/4" - 2"	1/8" - 6" *
Barrel nipple	1/4" - 2"	1/8" - 6" *
Bend 90°		1/8" - 2"
Parallel nipple		1/8" - 3"
Hose nipple hose / m		1/8" - 3"
Hose nipple hose / bw		1/8" - 3"
Equal tee	1/4" - 2"	1/8" - 4"
Reducing tee		1/4" x 1/8" - 2" x 1.1/2"
Cross	1/4" - 2"	1/8" - 4"
Y-tee		1/8" - 4"
Elbow with wall plate	1/2" x 45° - 1/2" x 90°	1/2" x 45° - 1/2" x 90°
Elbow 45° f/f	1/4" - 2"	1/8" - 4"
Elbow 45° m/f	1/4" - 2"	1/8" - 4"
Elbow 90° f/f	1/4" - 2"	1/8" - 4"
Elbow 90° m/f	1/4" - 2"	1/8" - 4"
Reducing elbow 90° f/f		1/4" x 1/8" - 2" x 1.1/2"
Reducing socket	1/4" x 1/8" - 2" x 1.1/2"	1/4" x 1/8" - 4" x 3"
Hexagon socket		1/8" - 2"
Hexagon nipple	1/4" - 2"	1/8" - 4"
Hexagon reducing nipple	1/4" x 1/8" - 2" x 1.1/2"	1/4" x 1/8" - 4" x 3"
Hexagon hose nipple f	1/4" - 2"	
Hexagon hose nipple m		1/8" - 4"
Hexagon head plug	1/4" - 2"	1/8" - 4"
Hexagon cap	1/4" - 2"	1/8" - 4"
Hexagon nut	1/4" - 2"	1/8" - 4"
Hexagon head plug	1/4" - 2"	1/8" - 4"
Round cap	1/4" - 2"	1/8" - 4"
Hexagon bushing m/f	1/4" x 1/8" - 2" x 1.1/2"	1/4" x 1/8" - 4" x 3"
Neg. hexagon bushing f/m		1/4" x 1/8" - 2" x 1.1/2"
Union f/f	1/4" - 2"	1/8" - 4"
Union m/f	1/4" - 2"	1/8" - 4"
Union m/m		1/8" - 4"
Union bw/bw	1/4" - 2"	1/8" - 4"
Union bw/f		1/8" - 4"
Union bw/m		1/8" - 4"
Union hose/f		1/8" - 2"
Union hose/m		1/8" - 2"
Elbow union f/f		1/8" - 2"
Elbow union f/m		1/8" - 2"
Elbow union f/bw		1/8" - 2"
Adapter m NPT - f BSP		1/8" - 2"
Adapter m BSP - f NPT		1/8" - 2"

\* In several lengths

## High pressure fittings NPT & SW

Grade	1.4307	1.4404
AISI	304L	316L
Full coupling	1/8" - 2"	1/8" - 2"
Half coupling	1/4" - 2"	1/8" - 2"
Reducing coupling	3/8" x 1/4" - 2" x 1.1/2"	3/8" x 1/4" - 2" x 1.1/2"
Elbow f/f 90°	1/4" - 2"	1/8" - 2"
Elbow m/f 90°	1/4" - 1/2"	1/4" - 2"
Elbow f/f 45°	1/4" - 1/2"	1/4" - 2"
Tee	1/4" - 2"	1/4" - 2"
Hexagon nipple	1/8" - 2"	1/8" - 2"
Hexagon reducing nipple	3/8" x 1/8" - 2" x 1.1/2"	1/4" x 1/8" - 2" x 1.1/2"
Barrel nipple T.O.E..	1/4" - 2"	1/4" - 2"
Barrel nipple T.B.E.	1/4" - 2"	1/8" - 2"
Hexagon head plug	1/8" - 2"	1/8" - 2"
Hexagon bushing f/m	3/8" x 1/4" - 2" x 1.1/2"	1/4" x 1/8" - 2" x 1.1/2"
Hexagon cap	1/4" - 2"	1/4" - 2"
Round cap	1/4" - 2"	1/4" x 1/8" - 2" x 1.1/2"
Union	1/4" - 2"	1/4" - 2"
Union concentric m/f		1/4" - 2"
Full coupling - socket weld ends	1/4" - 2"	1/4" - 2"
Half coupling - socket weld ends	1/4" - 2"	1/4" - 2"
Reducing coupling - socket weld ends	1/2" x 1/4" - 2" x 1.1/2"	3/8" x 1/4" - 2" x 1.1/2"
Elbow 90° - socket weld ends	1/4" - 2"	1/4" - 2"
Elbow 45° - socket weld ends	1/4" - 2"	1/4" - 2"
Tee - socket weld ends	1/4" - 2"	1/4" - 2"
Round cap - socket weld ends	1/4" - 2"	1/4" - 2"
Union - socket weld ends	1/4" - 2"	1/4" - 2"





### Press fittings | tubes

Grade	1.4404
AISI	316L
Elbow 45° f/f	15 - 108
Equal tee	15 - 108
Elbow 45° m/f	15 - 108
Branch tee female bsp outlet	15x1/2" - 108x2"
Elbow 90° f/f	15 - 108
Elbow 90° m/f	15 - 108
Elbow adaptor 90° female thread	15x1/2" - 35x1.1/4"
Elbow adaptor 90° male thread	15x1/2" - 54x2"
Reducing tee	18x15 - 108x88,9
Coupling	15 - 108
Slip coupling	15 - 108
Valve connector	15x1/2" - 54x2.1/2"
Stop end	15 - 108
Conical union	15 - 54
Wall plate elbow 90° female thread	15x1/2" - 22x3/4"
Female adaptor	15x1/2" - 54x2"
Male adaptor	15x3/8" - 108x4"
Reducer	18x15 - 108x88,9
Pipe bridge	15 - 28
Adaptor flange	15 - 108
EPDM ring	15 - 108
Tube	15 - 108

### Cutting ring fittings


Grade	1.4571
AISI	316Ti
Straight union	6 - 42
Bulkhead union	6 - 42
Female straight connector	6 - 42
Straight reducing union	8 x 6 - 38 x 30
Straight male connector	6 - 42
Union elbow	6 - 42
Union tee	6 - 38
Male elbow	6 - 42
Cap union	6 - 38
Cutting ring	6 - 42
Reinforcing rings	4 - 38
Nut	6 - 42

### Valves

AISI	CF8M / 316
V101 - 1-pc ball valve f/f ISO 228-1G red. bore	1/4" - 2"
V201 - 2-pc ball valve f/f ISO 228-1G	1/4" - 4"
V201N - 2-pc ball valve f/f NPT ANSI B1.2.0.1	1/4" - 4"
V203L - 3-way ball valve, L-port f/f/f ISO 228-1G	1/4" - 2"
V203T - 3-way ball valve, T-port f/f/f ISO 228-1G	1/4" - 2"
V211 - 2-pc ball valve m/f ISO 7-1R/ISO 228-1G	1/4" - 2"
V301T - 3-pc ball valve f/f ISO 228-1G	1/4" - 4"
V301B - 3-pc ball valve bw ends ANSI16.25	1/4" - 4"
V405M - 2-pc ball valve split body flange ends EN1092-1	1/2" - 6"
V603 - Swing check valve f/f ISO 228-1G	1/4" - 2"
V605 - Y-type strainer f/f ISO 228-1G	1/4" - 2"
V606 - Y-type globe valve f/f ISO 228-1G	1/4" - 2"
V607 - Piston type check valve f/f ISO 228-1G	1/4" - 2"
Needle valve	1/4" - 1"

### Clamps

Grade	1.4307	1.4404
AISI	304L	316L
Pipe clips - saddle type	12 - 114,3	12 - 355,6
Pipe clips - saddle type with silicon sleeving		21,3 - 114,3
Pipe clips - saddle type with round bar		12 - 114,3
Pipe clips - hinge type		20 - 104
U-clips	12 - 114,3	12 - 323,9



# STAPPERT Noxon BV

## STAPPERT Noxon BV

Gerstdijk 4  
5704 RG – Helmond  
THE NETHERLANDS  
T +31 492 582111  
F +31 492 538970  
noxon@stappert.biz  
www.stappert.biz/noxon

## Helmond

Gerstdijk 4  
5704 RG – Helmond  
THE NETHERLANDS  
T +31 492 582111  
F +31 492 538970  
helmond@stappert.biz

## Wommelgem

Autolei, 342  
2160 Wommelgem  
BELGIUM  
T +32 3 3543720  
F +32 3 3543710  
wommelgem@stappert.biz

## Zwijndrecht

Stationsplein 4 N  
3331 LL Zwijndrecht  
THE NETHERLANDS  
T +31 78 6117150  
F +31 78 6117160  
zwijndrecht@stappert.biz

## STAPPERT brand

### STAPPERT Česká republika spol. s r.o.

Otmarov 57  
66457 Měnin  
CZECH REPUBLIC  
T +420 544423911  
F +420 547230363  
ceskarepublika@stappert.biz  
www.stappert.biz/ceskarepublika

### STAPPERT France S.A.S.

13, Rue Charlemagne-BP 21  
02201 Soissons Cedex  
FRANCE  
T +33 3 23 73 50 00  
F +33 3 23 73 50 10  
france@stappert.biz  
www.stappert.biz/france

### STAPPERT Magyarország Kft.

Rétifarkas utca 1.  
1172 Budapest  
HUNGARY  
T +36 1 4342424  
F +36 1 4342442  
magyarorszag@stappert.biz  
www.stappert.biz/magyarorszag

### STAPPERT Sverige AB

Gamla Slätthultsvägen 3  
34334 Älmhult  
SWEDEN  
T +46 476 48550  
F +46 476 48560  
sverige@stappert.biz  
www.stappert.biz/sverige

### STAPPERT Deutschland GmbH

Willstätterstraße 13  
40549 Düsseldorf  
GERMANY  
T +49 211 5279-0  
F +49 211 5279-177  
deutschland@stappert.biz  
www.stappert.biz/deutschland

### STAPPERT Intramet SA

Rue du Parc Industriel, 5  
4480 Engis  
BELGIUM  
T +32 4 275 82 11  
F +32 4 275 82 90  
intramet@stappert.biz  
www.stappert.biz/intramet

### STAPPERT Polska Sp. z o.o.

ul. A. Gaudiego 18  
44-109 Gliwice  
POLAND  
T +48 32 3447300  
F +48 32 3447375  
polska@stappert.biz  
www.stappert.biz/polska

### STAPPERT UK Ltd.

Arley Road | Saltley  
B8 1BB Birmingham  
UNITED KINGDOM  
T +44 121 740 0175  
F +44 121 326 3109  
uk@stappert.biz  
www.stappert.biz/uk

### STAPPERT Fleischmann GmbH

Gewerbepark B17/I/Objekt 1  
2524 Teesdorf  
AUSTRIA  
T +43 2253 90313-0  
F +43 2253 90313-600  
fleischmann@stappert.biz  
www.stappert.biz/fleischmann

### UAB STAPPERT Lietuva

R. Kalantos g.49B  
52303 Kaunas  
LITHUANIA  
T +370 37 473509  
F +370 37 373281  
lietuva@stappert.biz  
www.stappert.biz/lietuva

### STAPPERT Slovensko a.s.

Šimonovská 37  
97271 Nováky  
SLOVAKIA  
T +421 46 51834-20  
F +421 46 51834-30  
slovensko@stappert.biz  
www.stappert.biz/slovensko

[www.stappert.biz](http://www.stappert.biz)



STAPPERT

STAPPERT | NOXON